



# SAFETY DATA SHEET

according to Regulation 1907/2006/EC, Article 31

Printing Date : 29/11/18

Revision : 29/11/18

Version number 1

TRADE NAME : SARIPCOAT - E730 (Powder component)

## 1: IDENTIFICATION OF THE SUBSTANCE\ PREPARATION AND OF THE COMPANY UNDERTAKING:

### -1.1 Product identifier

Trade name: SARIPCOAT - E730 (Powder component)

### -1.2 Relevant identified uses of the substance or mixture and uses advised against

· **Sector of Use** For Industrial Use Only

-**Application of the substance / the mixture:**

Sealing floors, walls and wet rooms.

### 1.3 Details of the supplier of the safety data sheet

· **Manufacturer/Supplier:**

Company: A.Z. MARKETING L.T.D.

Address: HaBonim 13 st. Kiryat Gat, Israel

Telephone: 972-8-9150190 ; Fax: 972-8-9240091

[www.azmarketing.co.il](http://www.azmarketing.co.il)

**Further information obtainable from:** Product safety department.

1.4 **Emergency telephone number:** 972-8-9150190

## 2: HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008



GHS05 Corrosive

Eye Damage 1 H318 Causes serious eye damage



GHS07 Irritant



# SAFETY DATA SHEET

according to Regulation 1907/2006/EC, Article 31

Printing Date : 29/11/18

Revision : 29/11/18

Version number 1

TRADE NAME : SARIPCOAT - E730 (Powder component)



## GHS08 Human Health

*Skin Irrit. 2 H315 Causes skin irritation.  
Skin Sens. 1 H317 May cause an allergic skin reaction.  
STOT SE 3 H335 May cause respiratory irritation.*

### 2.2 Label Elements

#### Labelling according to Regulation (EC) No 1272/2008

*The product is classified and labelled according to the CLP regulation*

**Hazards Pictograms:** GHS05, GHS07, GHS08

**Signal Word:** *Danger*

#### Hazard-determining components of labelling:

*Cement, portland, chemicals calcium oxide, quartz (SiO<sub>2</sub>)*

#### Hazard statements

*H315 Causes skin irritation.*

*H318 Causes serious eye damage.*

*H317 May cause an allergic skin reaction.*

*H335 May cause respiratory irritation.*

*H373 May cause damage to the lung through prolonged or repeated exposure*

#### Precautionary statements

##### Prevention:

*P260 Do not breathe dust/fume/gas/mist/vapours/spray.*

*P261 Avoid breathing dust/fume/gas/mist/vapours/spray.*

*P264 Wash thoroughly after handling.*

*P271 Use only outdoors or in a well-ventilated area.*

*P272 Contaminated work clothing should not be allowed out of the workplace.*

*P280 Wear protective gloves / eye protection / face protection.*

*P302+P352 IF ON SKIN: Wash with plenty of water.*

*P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.*

*P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*

*P310 Immediately call a POISON CENTER/doctor.*

*P321 Specific treatment (see on this label).*

#### Response:



# SAFETY DATA SHEET

according to Regulation 1907/2006/EC, Article 31

Printing Date : 29/11/18

Revision : 29/11/18

Version number 1

TRADE NAME : SARIPCOAT - E730 (Powder component)

*P314 Get medical advice/attention if you fell unwell.  
P362+P364 Take off contaminated clothing and wash it before reuse.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/  
international regulations.*

### 2.3 Other hazards

#### -Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable

## 3 COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Chemical characterisation: Mixtures

- **Description:** Mixture of substances listed below with nonhazardous additions
- **Dangerous components:**

Ingredients	CAS №	EINECS №	Concentration, wt. %
Cement, portland, chemicals	65997-15-1	266-043-4	25-35
Calcium Oxide	1305-78-8	215-138-9	1-3%
Quartz (SiO <sub>2</sub> )	14808-60-7	238-878-4	> 60
Limestone	1317-65-3		0.5-2

#### **Additional information:**

For the wording of the listed hazard phrases refer to section 16.

-Portland cement clinker:

Consisting of 4 main clinker phases, namely tri- and dicalcium-silicates (3CaO.SiO<sub>2</sub> and 2CaO.SiO<sub>2</sub>), tricalcium-aluminate (3CaO.Al<sub>2</sub>O<sub>3</sub>) and tetracalcium-aluminoferrite (4CaO.Al<sub>2</sub>O<sub>3</sub>.Fe<sub>2</sub>O<sub>3</sub>).

## 4: FIRST AID MEASURES:

### 4.1 Description of first aid measures

- **General Information:** Consult a physician. Show this safety data sheet to the doctor in attendance.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints
- **After skin contact:** Rinse and then wash skin with water and soap.
- **After eye contact:**  
First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.
- **After swallowing:** Do NOT induce vomiting. Refer for medical attention.



# SAFETY DATA SHEET

according to Regulation 1907/2006/EC, Article 31

Printing Date : 29/11/18

Revision : 29/11/18

Version number 1

TRADE NAME : SARIPCOAT - E730 (Powder component)

· **4.2 Most important symptoms and effects, both acute and delayed**

*No further relevant information available.*

· **4.3 Indication of any immediate medical attention and special treatment needed**

*No further relevant information available.*

## 5: FIRE FIGHTING MEASURES

· **5.1 Extinguishing media**

· **Suitable extinguishing agents:** *Use fire extinguishing methods suitable to surrounding conditions.*

· **5.2 Special hazards arising from the substance or mixture**

*Clinkers are non-combustible and non-explosive and will not facilitate or sustain the combustion of other materials*

**Specific hazards:**

*Explosive dust concentrations. Try to avoid dust forming.*

*Hazardous decomposition products may be formed under fire conditions (see section 10).*

· **5.3 Advice for firefighters**

· **Protective equipment:**

*Portland cement is not flammable*

*Poses no fire-related hazards*

**Special protective equipment for fire-fighters**

*In the event of fire, wear self-contained breathing apparatus.*

*Use personal protective equipment.*

*.No available information for special protective equipment for fire fighters*

## 6: ACCIDENTAL RELEASE MEASURES

**6.1 Personal precautions, protective equipment and emergency procedures**

*Personal protection: particulate filter respirator adapted to the airborne concentration of the substance.*

*See Section 8*

· **6.2 Environmental precautions:** *Do not allow to enter sewers/ surface or ground water.*

· **6.3 Methods and material for containment and cleaning up:**

*Do not sweep. Use dry cleanup methods such as vacuum clean-up over vacuum extraction, which do not cause airborne dispersion.*

· **6.4 Reference to other sections**

*See Section 7 for information on safe handling.*

*See Section 8 for information on personal protection equipment.*

*See Section 13 for disposal information.*

## 7.0 HANDLING AND STORAGE

- **7.1 Precautions for safe handling**

*Avoid contact with skin and eyes. Avoid formation of dust and aerosols.*

*Provide appropriate exhaust ventilation at places where dust is formed.*

*For precautions see section 2.2.*

*No special precautions are necessary if used correctly.*



## SAFETY DATA SHEET

according to Regulation 1907/2006/EC, Article 31

Printing Date : 29/11/18

Revision : 29/11/18

Version number 1

TRADE NAME : SARIPCOAT - E730 (Powder component)

*Follow the recommendations as given under Section 8.*

*To clean up dry Portland cement see Subsection 6.3.*

· **Information about fire - and explosion protection:** *Portland cement is not flammable*

**Advice on safe handling:**

For personal protection see section 8. Avoid contact with skin and eyes. Avoid inhalation of dust. Avoid exposure – obtain special instructions before use.

**Advice on protection against fire and explosion:**

Normal measures for preventive fire protection.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage:**

· **Requirements to be met by storerooms and receptacles:**

*Store in cool place. Keep container tightly closed in a dry and well-ventilated place.*

· **Information about storage in one common storage facility:**

*Dry. Well closed. Separated from strong acids.*

*Portland cement should be stored under waterproof, dry (i.e. with internal condensation minimised) conditions, clean and protected from contamination.*

*Do not use aluminium containers due to incompatibility of the materials.*

**Requirements for storage areas and containers:**

Keep container tightly closed in a dry and well-ventilated place. Store in fabric or polypropylene bags with polyethylene liner; multiwall paper bags with polyethylene liner; big bags with polyethylene liner.

· **Further information about storage conditions:** *Protect from moisture.*

**Advice on common storage:**

Keep away from food, drink and animal feeding stuffs. Incompatible with acids and bases. Do not store together with oxidizers.

· **7.3 Specific end use(s)** *No further relevant information available.*

### 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

· **Additional information about design of technical facilities:**

*Use: Industrial manufacture/formulation of hydraulic building and construction materials*

*.No further data; see item 7.*



# SAFETY DATA SHEET

## according to Regulation 1907/2006/EC, Article 31

Printing Date : 29/11/18

Revision : 29/11/18

Version number 1

TRADE NAME : SARIPCOAT - E730 (Powder component)

· **8.1 Control parameters**

<b>Ingredients with limit values that require monitoring at the workplace:</b>	
<b>65997-15-1 Cement, portland, chemicals</b>	
TLV MAK	(respirable fraction): 1 mg/m <sup>3</sup> , as TWA; A4 (not classifiable as a human carcinogen). carcinogen category: 3B
<b>1305-78-8 Calcium oxide</b>	
TLV MAK EU-OEL	2 mg/m <sup>3</sup> , as TWA. (inhalable fraction): 1 mg/m <sup>3</sup> ; peak limitation category: I(2); pregnancy risk group: C. 1 mg/m <sup>3</sup> as TWA; 4 mg/m <sup>3</sup> as STEL
<b>14808-60-7 Quartz (SiO<sub>2</sub>)</b>	
TLV	Long term value 0.1mg/m <sup>3</sup> ; respirable fraction

**Additional information:** The lists valid during the making were used as basis.

**8.2 Exposure controls**

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product

· **Personal protective equipment:**

· **General protective and hygienic measures:** Wash hands before breaks and at the end of work.

· **Respiratory protection:**

When a person is potentially exposed to dust levels above exposure limits, use appropriate respiratory protection. The type of respiratory protection should be adapted to the dust level

· **Protection of hands:**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several



# SAFETY DATA SHEET

according to Regulation 1907/2006/EC, Article 31

Printing Date : 29/11/18

Revision : 29/11/18

Version number 1

TRADE NAME : SARIPCOAT - E730 (Powder component)

*substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.*

· **Penetration time of glove material**

*The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.*

- **Eye protection:** Wear safety goggles.
- **Body protection:** Protective clothing

## 9: PHYSICAL AND CHEMICAL PROPERTIES

· 9.1 Information on basic physical and chemical properties

General Information

Appearance

<b>Form:</b>	Fine Powder
<b>Colour:</b>	White to beige
<b>Odour:</b>	Odorless
· <b>Odour threshold:</b>	Not determined
<b>pH-value:</b>	>12.5 (water solution)

Change in condition

<b>Melting point/freezing point:</b>	Undetermined.
<b>Initial boiling point and boiling range:</b>	>1000 ° C
· <b>Flash point:</b>	Not determined
· <b>Flammability (solid, gas):</b>	Not determined.
· <b>Decomposition temperature:</b>	Not determined.
· <b>Auto-ignition temperature:</b>	Product is not selfigniting.
· <b>Explosive properties:</b>	Product does not present an explosion hazard.
· <b>Explosion limits:</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
· <b>Vapour pressure:</b>	Not applicable.
· <b>Density:</b>	1.2-1.8
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not applicable.
· <b>Evaporation rate</b>	Not applicable.
· <b>Solubility in / Miscibility with water:</b>	0.1%-1% (Low solubility)
· <b>Partition coefficient: n-octanol/water:</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not applicable.
<b>Kinematic:</b>	Not applicable.
· <b>9.2 Other information</b>	No further relevant information available.



## SAFETY DATA SHEET

according to Regulation 1907/2006/EC, Article 31

Printing Date : 29/11/18

Revision : 29/11/18

Version number 1

TRADE NAME : SARIPCOAT - E730 (Powder component)

### 10 : STABILITY AND REACTIVITY

#### 10.1 Reactivity

When mixed with water, Portland cement will harden into a stable mass that is not reactive in normal environments.

#### · 10.2 Chemical stability

#### · **Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

#### · 10.3 Possibility of hazardous reactions

Reacts with acids, aluminium metals and ammonium salts.

Reacts slowly with water forming hardened hydrated compounds, releasing heat and producing a strong alkaline solution.

#### · 10.4 Conditions to avoid

Humid conditions during storage may cause lump formation and loss of product quality.

#### · 10.5 Incompatible materials: Acids, ammonium salts, aluminium or other non-noble metals.

#### · 10.6 Hazardous decomposition products: No dangerous decomposition products known.





# SAFETY DATA SHEET

according to Regulation 1907/2006/EC, Article 31

Printing Date : 29/11/18

Revision : 29/11/18

Version number 1

TRADE NAME : SARIPCOAT - E730 (Powder component)

## 11: TOXICOLOGICAL INFORMATION

- **11.1 Information on toxicological effects**
- Acute toxicity based on available data, the classification criteria are not met.
- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Causes skin irritation.
- **Serious eye damage/irritation**  
Causes serious eye damage.
- **Respiratory or skin sensitisation**  
May cause an allergic skin reaction.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity based on available data, the classification criteria are not met.**
- **Carcinogenicity based on available data, the classification criteria are not met.**
- **Reproductive toxicity based on available data, the classification criteria are not met.**
- **STOT-single exposure**  
May cause respiratory irritation.
- **STOT-repeated exposure based on available data, the classification criteria are not met.**
- **Aspiration hazard based on available data, the classification criteria are not met.**

## 12: ECOLOGICAL INFORMATION

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.



## SAFETY DATA SHEET

according to Regulation 1907/2006/EC, Article 31

Printing Date : 29/11/18

Revision : 29/11/18

Version number 1

TRADE NAME : SARIPCOAT - E730 (Powder component)

### 13: DISPOSAL CONSIDERATIONS

- **13.1 Waste treatment methods**
- **Recommendation**  
*Must not be disposed together with household garbage. Do not allow product to reach sewage system.*
- **Uncleaned packaging:**
- **Recommendation:** *Disposal must be made according to official regulations.*

### 14 : TRANSPORT INFORMATION

#### 14.1 UN-Number

*Portland cement is not covered by the international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID); no classification is required.*

*No special precautions are needed apart from those mentioned under Section 8.*

#### 14.2 UN proper shipping name

*Void*

#### · 14.3 Transport hazard class(es)

*Not applicable*

#### · 14.4 Packing group

*Not applicable*

#### · 14.5 Environmental hazards:

*Not applicable*

#### · 14.6 Special precautions for user

*Not applicable*

#### · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

*Not applicable.*

### 15 REGULATORY INFORMATION

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Labelling according to Regulation (EC) No 1272/2008**  
*The product is classified and labelled according to the CLP regulation.*
- **Hazard pictograms** GHS05, GHS0, GHS08
- **Signal word** Danger, Warning



## SAFETY DATA SHEET

according to Regulation 1907/2006/EC, Article 31

Printing Date : 29/11/18

Revision : 29/11/18

Version number 1

TRADE NAME : SARIPCOAT - E730 (Powder component)

· **Hazard-determining components of labelling:**

Cement, Portland chemicals, calcium oxide, quartz(SiO<sub>2</sub>)

· **Hazard statements**

H315: Causes skin irritation.

H318: Causes serious eye damage.

H317: May cause an allergic skin reaction.

H335: May cause respiratory irritation

H373: May cause damage to the lung through prolonged or repeated exposure

· **Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P314 Get medical advice/attention if you feel unwell.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.



## SAFETY DATA SHEET

according to Regulation 1907/2006/EC, Article 31

Printing Date : 29/11/18

Revision : 29/11/18

Version number 1

TRADE NAME : SARIPCOAT - E730 (Powder component)

### 16: OTHER INFORMATION

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Relevant phrases**

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H373 May cause damage to the lung through prolonged or repeated exposure

· **Department issuing SDS:** Product safety department.

· **Contact:**

Company: A.Z. MARKETING L.T.D.

Address: HaBonim 13 st. Kiryat Gat, Israel

Telephone: 972-8-9150190; Fax: 972-8-9240091

www.azmarketing.co.il

· **Abbreviations and acronyms:**

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1B: Skin sensitisation – Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3



# SAFETY DATA SHEET

according to Regulation 1907/2006/EC, Article 31

Printing Date : 29/11/18

Revision : 29/11/18

Version number 1

TRADE NAME : SARIPCOAT - E730 (Liquid component)

## 1: IDENTIFICATION OF THE SUBSTANCE\ PREPARATION AND OF THE COMPANY UNDERTAKING:

### -1.1 Product identifier

Trade name: SARIPCOAT - E730 (Liquid component)

### -1.2 Relevant identified uses of the substance or mixture and uses advised against

· **Sector of Use** : Binder for cement and coating applications

#### -Application of the substance / the mixture:

Sealing floors, walls and wet rooms.

### 1.3 Details of the supplier of the safety data sheet

#### · Manufacturer/Supplier:

Company: A.Z. MARKETING L.T.D.

Address: HaBonim 13 st. Kiryat Gat, Israel

Telephone: 972-8-9150190 ; Fax: 972-8-9240091

[www.azmarketing.co.il](http://www.azmarketing.co.il)

**Further information obtainable from:** Product safety department.

1.4 **Emergency telephone number:** 972-8-9150190

## 2: HAZARDS IDENTIFICATION

### 2.1 Classification of the substance or mixture

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP).

However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information, compliant to (EU) Regulation 2015/830

### 2.2 Label Elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements

Hazards pictograms --



# SAFETY DATA SHEET

according to Regulation 1907/2006/EC, Article 31

Printing Date : 29/11/18

Revision : 29/11/18

Version number 1

TRADE NAME : SARIPCOAT - E730 (Liquid component)

Signal words --

Hazard statements:

EUH210 Safety data sheet available on request  
EUH208 Contains : 5 – Chloro- 2 –methyl-3(2H)-isothiazolone mixt.with 2-methyl-3(2H)-isothiazolone (CAS:55965-84-9)

May produce an allergic reaction.

Precautionary statements: --

### 2.3 Other hazards

#### -Results of PBT and vPvB assessment

- **PBT**: Not applicable.
- **vPvB**: Not applicable

## 3 COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2 Chemical characterisation: Mixtures

x=Conc. %

Ingredients	CAS №	EINECS №	Concentration, wt. %
5 – Chloro- 2 –methyl-3(2H)-isothiazolone mixt.with 2-methyl-3(2H)-isothiazolone	55965-84-9	611-341-5	0≤x≤0.08

**Acute Tox.3 H301, Acute Tox.3 H311, Acute Tox.3 H331, Skin Corr. 1B H314, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1**



# SAFETY DATA SHEET

according to Regulation 1907/2006/EC, Article 31

Printing Date : 29/11/18

Revision : 29/11/18

Version number 1

TRADE NAME : SARIPCOAT - E730 (Liquid component)

## 4: FIRST AID MEASURES:

### 4.1 Description of first aid measures

- **General Information:** Consult a physician. Show this safety data sheet to the doctor in attendance.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints
- **After skin contact:** Rinse and then wash skin with water and soap.
- **After eye contact:**  
*First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.*
- **After swallowing:** Do NOT induce vomiting. Refer for medical attention.
- **4.2 Most important symptoms and effects, both acute and delayed**  
*No further relevant information available.*
- **4.3 Indication of any immediate medical attention and special treatment needed**  
*No further relevant information available.*

## 5: FIRE FIGHTING MEASURES

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture**  
*Clinkers are non-combustible and non-explosive and will not facilitate or sustain the combustion of other materials*
- **Specific hazards:**  
*Explosive dust concentrations. Try to avoid dust forming.  
Hazardous decomposition products may be formed under fire conditions (see section 10).*
- **5.3 Advice for firefighters**
- **Protective equipment:**  
*Portland cement is not flammable  
Poses no fire-related hazards*
- **Special protective equipment for fire-fighters**  
*In the event of fire, wear self-contained breathing apparatus.  
Use personal protective equipment.  
.No available information for special protective equipment for fire fighters*

## 6: ACCIDENTAL RELEASE MEASURES

- **6.1 Personal precautions, protective equipment and emergency procedures**  
*Personal protection: particulate filter respirator adapted to the airborne concentration of the substance.  
See Section 8*



# SAFETY DATA SHEET

according to Regulation 1907/2006/EC, Article 31

Printing Date : 29/11/18

Revision : 29/11/18

Version number 1

TRADE NAME : SARIPCOAT - E730 (Liquid component)

· **6.2 Environmental precautions:**

*The product must not penetrate into the sewer system or come into contact with surface water or ground water*

· **6.3 Methods and material for containment and cleaning up:**

*Do not sweep. Use dry cleanup methods such as vacuum clean-up over vacuum extraction, which do not cause airborne dispersion.*

· **6.4 Reference to other sections**

*See Section 7 for information on safe handling.*

*See Section 8 for information on personal protection equipment.*

*See Section 13 for disposal information.*

## 7.0 HANDLING AND STORAGE

- **7.1 Precautions for safe handling**

*Avoid contact with skin and eyes. Avoid formation of dust and aerosols.*

*Provide appropriate exhaust ventilation at places where dust is formed.*

*For precautions see section 2.2.*

*No special precautions are necessary if used correctly.*

*Follow the recommendations as given under Section 8.*

*To clean up dry Portland cement see Subsection 6.3.*

· **Information about fire - and explosion protection:** *Portland cement is not flammable*

**Advice on safe handling:**

*For personal protection see section 8. Avoid contact with skin and eyes. Avoid inhalation of dust. Avoid exposure – obtain special instructions before use.*

**Advice on protection against fire and explosion:**

*Normal measures for preventive fire protection.*

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage:**

*Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see 10 for details.*

*The emulsion must be stored between 5-25 °C for a maximum of 12 months and freezing must be avoided.*

· **7.3 Specific end use(s)** *No further relevant information available.*

## 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

· **Additional information about design of technical facilities:**

*Use: Industrial manufacture/formulation of hydraulic building and construction materials*

*.No further data; see item 7.*

· **8.1 Control parameters**





## SAFETY DATA SHEET

according to Regulation 1907/2006/EC, Article 31

Printing Date : 29/11/18

Revision : 29/11/18

Version number 1

TRADE NAME : SARIPCOAT - E730 (Liquid component)

*Information not available*

### 8.2 Exposure controls

*Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product*

· **Personal protective equipment:**

· **General protective and hygienic measures:** *Wash hands before breaks and at the end of work.*

· **Respiratory protection:**

*When a person is potentially exposed to dust levels above exposure limits, use appropriate respiratory protection. The type of respiratory protection should be adapted to the dust level*

· **Protection of hands:**

*The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.*

*Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.*

*Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation*

· **Material of gloves**

*The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.*

· **Penetration time of glove material**

*The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.*

· **Eye protection:** *Wear safety goggles.*

· **Body protection:** *Protective clothing*

## 9: PHYSICAL AND CHEMICAL PROPERTIES

· **9.1 Information on basic physical and chemical properties**

**General Information**

**Appearance**

<b>Form:</b>	Liquid
<b>Colour:</b>	White
<b>Odour:</b>	characteristic
<b>Odour threshold:</b>	Not determined



## SAFETY DATA SHEET

according to Regulation 1907/2006/EC, Article 31

Printing Date : 29/11/18

Revision : 29/11/18

Version number 1

TRADE NAME : SARIPCOAT - E730 (Liquid component)

<b>pH-value:</b>	7.0 – 9.0
<b>Change in condition</b>	
<b>Melting point/freezing point:</b>	Undetermined.
<b>Initial boiling point and boiling range:</b>	>100 ° C
· <b>Flash point:</b>	Not determined
· <b>Flammability (solid, gas):</b>	Not determined.
· <b>Decomposition temperature:</b>	Not determined.
· <b>Auto-ignition temperature:</b>	Product is not selfigniting.
· <b>Explosive properties:</b>	Product does not present an explosion hazard.
· <b>Explosion limits:</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
· <b>Vapour pressure:</b>	Not applicable.
· <b>Relative density:</b>	1.0-1.1
· <b>Relative density</b>	Not determined.
· <b>Vapour density</b>	Not applicable.
· <b>Evaporation rate</b>	slower (ethyl ether=1).
· <b>Solubility in / Miscibility with water:</b>	soluble in water
· <b>Partition coefficient: n-octanol/water:</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not applicable.
<b>Kinematic:</b>	Not applicable.
· <b>9.2 Other information</b>	No further relevant information available.

### 10 : STABILITY AND REACTIVITY

#### 10.1 Reactivity

There are no particular risks of reactions with other substances in normal conditions of use.

#### · 10.2 Chemical stability

The product is stable in normal conditions of use and storage.

#### · 10.3 Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

#### · 10.4 Conditions to avoid

None in particular. However for usual precautions used for chemical products should be protected.

#### · 10.5 Incompatible materials:

Information not available



# SAFETY DATA SHEET

according to Regulation 1907/2006/EC, Article 31

Printing Date : 29/11/18

Revision : 29/11/18

Version number 1

TRADE NAME : SARIPCOAT - E730 (Liquid component)

- **10.6 Hazardous decomposition products:** Information not available

## 11: TOXICOLOGICAL INFORMATION

### · 11.1 Information on toxicological effects

STYRENE ACRYLIC COPOLYMER

LD50 (Dermal/oral, rat) > 5000 mg/kg.

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

#### · **Primary irritant effect:**

Information not available

Acute toxicity

LC50 (Inhalation) of the mixture:

Not classified

LD50 (Oral) of the mixture:

Not classified

LD50 (Dermal) of the mixture:

Not classified

#### · **Skin corrosion/irritation**

Does not meet the classification criteria for this hazard class

#### · **Serious eye damage/irritation**

Does not meet the classification criteria for this hazard class

#### · **Respiratory or skin sensitisation**

May cause an allergic skin reaction.

Contains : 5 – Chloro- 2 –methyl-3(2H)-isothiazolone mixt. with 2-methyl-3(2H)-isothiazolone (CAS:55965-84-9)

#### · **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

Does not meet the classification criteria for this hazard class

· **Germ cell mutagenicity based on available data, the classification criteria are not met.**

· **Carcinogenicity based on available data, the classification criteria are not met.**

· **Reproductive toxicity based on available data, the classification criteria are not met.**

#### · **STOT-single exposure**

Does not meet the classification criteria for this hazard class

· **STOT-repeated exposure based on available data, the classification criteria are not met.**

· **Aspiration hazard based on available data, the classification criteria are not met.**



## SAFETY DATA SHEET

according to Regulation 1907/2006/EC, Article 31

Printing Date : 29/11/18

Revision : 29/11/18

Version number 1

TRADE NAME : SARIPCOAT - E730 (Liquid component)

### 12: ECOLOGICAL INFORMATION

#### · 12.1 Toxicity

5 – Chloro- 2 –methyl-3(2H)-isothiazolone mixt.with 2-methyl-3(2H)-isothiazolone (CAS: 55965-84-9)

LC50 – for Fish	14.8 mg/l/96h OECD 203
EC50 – for Crustacea	8 mg/l/48h OECD 202
EC50 – for Algae / Aquatic Plants	3.2 mg/l/72h OECD 201

STYRENE ACRYLIC COPOLYMER

EC50 – for Crustacea 100mg/l/48h Daphnia magna

- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability :**

STYRENE ACRYLIC COPOLYMER

This type of product is only slowly biodegraded (removal>80% by method OECD 302B)

5 – Chloro- 2 –methyl-3(2H)-isothiazolone mixt.with 2-methyl-3(2H)-isothiazolone (CAS: 55965-84-9)

Rapidly degradable

- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**

#### · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water  
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

#### · 12.5 Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage than 0.1%

- **12.6 Other adverse effects** No further relevant information available.



## SAFETY DATA SHEET

according to Regulation 1907/2006/EC, Article 31

Printing Date : 29/11/18

Revision : 29/11/18

Version number 1

TRADE NAME : SARIPCOAT - E730 (Liquid component)

### 13: DISPOSAL CONSIDERATIONS

- **13.1 Waste treatment methods**
- **Recommendation**  
*Must not be disposed together with household garbage. Do not allow product to reach sewage system.*
- **Uncleaned packaging:**
- **Recommendation:** *Disposal must be made according to official regulations.*

### 14 : TRANSPORT INFORMATION

- **14.1 UN-Number**  
*Not applicable*
- **14.2 UN proper shipping name**  
*Not applicable*
- **14.3 Transport hazard class(es)**  
*Not applicable*
- **14.4 Packing group**  
*Not applicable*
- **14.5 Environmental hazards:**  
*Not applicable*
- **14.6 Special precautions for user**  
*Not applicable*
- **14.7 Transport in bulk according to Annex II of Marpol and the IBC Code**  
*Not applicable.*

### 15 REGULATORY INFORMATION

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Labelling according to Regulation (EC) No 1272/2008**  
*The product is classified and labelled according to the CLP regulation.*
- **Hazard pictograms**
- **Signal word**
- **Hazard-determining components of labelling:**
- **Hazard statements**
  
- **Precautionary statements**
- 
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** *None of the ingredients is listed*



## SAFETY DATA SHEET

according to Regulation 1907/2006/EC, Article 31

Printing Date : 29/11/18

Revision : 29/11/18

Version number 1

TRADE NAME : SARIPCOAT - E730 (Liquid component)

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16: OTHER INFORMATION

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox.3	Acute toxicity, category 3.
Skin Corr. 1B	Skin corrosion, category 1B.
Skin Sens. 1	Skin sensitization, category 1.
Aquatic Acute 1 category 1.	Hazardous to the aquatic environment, acute toxicity,
Aquatic Chronic 1 category 1.	Hazardous to the aquatic environment, chronic toxicity,
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H331	Toxic if inhaled.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
EUH210	Safety data sheet available on request.

· **Department issuing SDS:** Product safety department.

· **Contact:**

Company: A.Z. MARKETING L.T.D.

Address: HaBonim 13 st. Kiryat Gat, Israel

Telephone: 972-8-9150190; Fax: 972-8-9240091

[www.azmarketing.co.il](http://www.azmarketing.co.il)

· **Abbreviations and acronyms:**

GHS: Globally Harmonised System of Classification and Labelling of Chemicals



## **SAFETY DATA SHEET**

**according to Regulation 1907/2006/EC, Article 31**

Printing Date : 29/11/18

Revision : 29/11/18

Version number 1

TRADE NAME : SARIPCOAT - E730 (Liquid component)

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*VOC: Volatile Organic Compounds (USA, EU)*

*PBT: Persistent, Bioaccumulative and Toxic*

*vPvB: very Persistent and very Bioaccumulative*

*Skin Irrit. 2: Skin corrosion/irritation – Category 2*

*Eye Dam. 1: Serious eye damage/eye irritation – Category 1*

*Skin Sens. 1: Skin sensitisation – Category 1*

*Skin Sens. 1B: Skin sensitisation – Category 1B*

*STOT SE 3: Specific target organ toxicity (single exposure) – Category 3*