

according to Regulation 1907/2006/EC, Article 31

Printing Date : 29/11/18 Revision : 29/11/18

Version number 1

TRADE NAME: POLYCEMENT 1678 (Powder Component)

1: IDENTIFICATION OF THE SUBSTANCE\ PREPARATION AND OF THE COMPANY UNDERTAKING:

-1.1 Product identifier

Trade name: POLYCEMENT 1678 (Powder Component)

- -1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use for Industrial Use Only
- -Application of the substance / the mixture:

Repair of concrete.

1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Company: A.Z. MARKETING L.T.D.

Address: HaBonim 13 st. Kiryat Gat, Israel 972-8-9150190; Fax: 972-8-9240091

www.azmarketing.co.il

Further information obtainable from: Product safety department.

1.4 Emergency telephone number: 972-8-9150190

2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



Eye Damage 1 H318 Causes serious eye damage



according to Regulation 1907/2006/EC, Article 31

Printing Date : 29/11/18 Revision : 29/11/18

Version number 1

TRADE NAME: POLYCEMENT 1678 (Powder Component)



GHS08 Human Health

Skin Irrit. 2 H315 Causes skin irritation. Skin Sens. 1 H317 May cause an allergic skin reaction. STOT SE 3 H335 May cause respiratory irritation.

2.2 Label Elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation

Hazards Pictograms: GHS05, GHS07, GHS08

Signal Word: Danger

Hazard-determining components of labelling:

Cement, portland, chemicals calcium oxide, quartz (SiO2), Sulphoaluminate Clinker, Citric Acid

Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

H373 May cause damage to the lung through prolonged or repeated exposure

Precautionary statements

Prevention:

P102: Keep out of reach of children

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.



according to Regulation 1907/2006/EC, Article 31

Printing Date : 29/11/18 Revision : 29/11/18

Version number 1

TRADE NAME: POLYCEMENT 1678 (Powder Component)

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

Response:

P314 Get medical advice/attention if you fell unwell.

P261+P304+P340+P312: Avoid breathing dust. IN CASE OF INHALATION OF DUST:

get victim into the fresh air and keep still in a position comfortable for breathing

if they feel unwell, contact a poison control center or doctor.

P362+P364 Take off contaminated clothing and wash it before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

2.2.2 According to Directive 67/548/EEC & Directive 1999/45/EC Hazard Symbol



Irritant

Risk Phrases

R36: Irritating to eye

Safety Phrases S26: Avoid contact with eyes. In case of contact with eyes, rinse,

immediately with plenty of water and seek medical advice

2.3 Other hazards

-Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable



according to Regulation 1907/2006/EC, Article 31

Printing Date : 29/11/18 Revision : 29/11/18

Version number 1

TRADE NAME: POLYCEMENT 1678 (Powder Component)

3 COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Chemical characterization: Mixtures

- · Description: Mixture of substances listed below with nonhazardous additions
- Dangerous components:

Ingredients	CAS №	EINECS №	Concentration, wt. %
Cement, portland,	65997-15-1	266-043-4	30-50
Calcium Oxide	1305-78-8	215-138-9	1-3%
Quartz (SiO2)	14808-60-7	238-878-4	>30
Sulphoaluminate Clinker	65997-15-1	266-043-4	10-20
Citric Acid	77-92-9	201-069-1	0.1-0.5
Sodium polynaphthalene-	9084-06-4	618-665-6	>0.5
methanesulfonate			

Additional information:

For the wording of the listed hazard phrases refer to section 16.

-Portland cement clinker:

Consisting of 4 main clinker phases, namely tri- and dicalcium-silicates (3CaO.SiO2 and 2CaO.SiO2), tricalcium-aluminate (3CaO.Al2O3) and tetracalcium-aluminoferrite (4CaO.Al2O3.Fe2O3).

4: FIRST AID MEASURES:

4.1 Description of first aid measures

- **General Information:** Consult a physician. Show this safety data sheet to the doctor in attendance.
- · After inhalation: Supply fresh air; consult doctor in case of complaints
- After skin contact: Rinse and then wash skin with water and soap.
- · After eye contact:

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

- · After swallowing: Do NOT induce vomiting. Refer for medical attention.
- **4.2 Most important symptoms and effects, both acute and delayed**No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**No further relevant information available.



according to Regulation 1907/2006/EC, Article 31

Printing Date : 29/11/18 Revision : 29/11/18

Version number 1

TRADE NAME: POLYCEMENT 1678 (Powder Component)

5: FIRE FIGHTING MEASURES

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture

Clinkers are non-combustible and non-explosive and will not facilitate or sustain the combustion of other materials

Specific hazards:

Explosive dust concentrations. Try to avoid dust forming.

Hazardous decomposition products may be formed under fire conditions (see section 10).

- 5.3 Advice for firefighters
- · Protective equipment:

Portland cement is not flammable

Poses no fire-related hazards

Special protective equipment for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

.No available information for special protective equipment for fire fighters

6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Personal protection: particulate filter respirator adapted to the airborne concentration of the substance.

See Section 8

- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Do not sweep. Use dry cleanup methods such as vacuum clean-up over vacuum extraction, which do not cause airborne dispersion.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7.0 HANDLING AND STORAGE

- 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

No special precautions are necessary if used correctly.

Follow the recommendations as given under Section 8.

To clean up dry Portland cement see Subsection 6.3.

· Information about fire - and explosion protection: Portland cement is not flammable Advice on safe handling:



according to Regulation 1907/2006/EC, Article 31

Printing Date : 29/11/18 Revision : 29/11/18

Version number 1

TRADE NAME: POLYCEMENT 1678 (Powder Component)

For personal protection see section 8. Avoid contact with skin and eyes. Avoid inhalation of dust. Avoid exposure – obtain special instructions before use.

Advice on protection against fire and explosion:

Normal measures for preventive fire protection.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

· Information about storage in one common storage facility:

Dry. Well closed. Separated from strong acids.

Portland cement should be stored under waterproof, dry (i.e. with internal condensation minimized) conditions, clean and protected fromcontamination.

Do not use aluminium containers due to incompatibility of the materials.

Requirements for storage areas and containers:

Keep container tightly closed in a dry and well-ventilated place. Store in fabric or polypropylene bags with polyethylene liner; multiwall paper bags with polyethylene liner; big bags with polyethylene liner.

Further information about storage conditions: Protect from moisture.

Advice on common storage:

Keep away from food, drink and animal feeding stuffs. Incompatible with acids and bases. Do not store together with oxidizers.

· 7.3 Specific end use(s) No further relevant information available.

8: EXPOSURE CONTROLS/PERSONAL PROTECTION

· Additional information about design of technical facilities:

Use: Industrial manufacture/formulation of hydraulic building and construction materials .No further data; see item 7.

· 8.1 Control parameters

65007-1	5-1 Cement, portland, chemicals
TLV	(respirable fraction): 1 mg/m3, as TWA; A4 (not classifiable as a human carcinogen).
MAK	carcinogen category: 3B



according to Regulation 1907/2006/EC, Article 31

Printing Date : 29/11/18 Revision : 29/11/18

Version number 1

TRADE NAME: POLYCEMENT 1678 (Powder Component)

TLV MAK EU-OEL	2 mg/m3, as TWA. (inhalable fraction): 1 mg/m3; peak limitation category: I(2); pregnancy risk group: C. 1 mg/m3 as TWA; 4 mg/m3 as STEL			
14808-60-7 Quartz (SiO2)				
TLV	TLV Long term value 0.1mg/m³; respirable fraction			

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Avoid contact with skin, eyes and clothing. Wash hands before beaks and immediately after handling the product

- · Personal protective equipment:
- General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection:

When a person is potentially exposed to dust levels above exposure limits, use appropriate respiratory protection. The type of respiratory protection should be adapted to the dust level

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Wear safety goggles.
- · Body protection: Protective clothing



according to Regulation 1907/2006/EC, Article 31

Printing Date : 29/11/18 Revision : 29/11/18

Version number 1

TRADE NAME: POLYCEMENT 1678 (Powder Component)

9: PHYSICAL AND CHEMICAL PROPERTIES

· 9.1 Information on basic physical and chemical properties General Information Appearance

Form: Fine Powder
Colour: Light Grey
Odour: Odorless

Odour threshold: Not determined

pH-value: >12.5 (water solution)

Change in condition

Melting point/freezing point:Undetermined.Initial boiling point and boiling range:>1000 ° CFlash point:Not determinedFlammability (solid, gas):Not determined.

Decomposition temperature:
 Auto-ignition temperature:
 Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

Explosion limits:

Lower:Not determined.Upper:Not determined.Vapour pressure:Not applicable.

• **Density:** 1.2-1.8

Relative density
Vapour density
Evaporation rate
Not determined.
Not applicable.
Not applicable.

· Solubility in / Miscibility with water: 0.1%-1% (Low solubility)

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic:Not applicable.Kinematic:Not applicable.

• **9.2 Other information** No further relevant information available.



according to Regulation 1907/2006/EC, Article 31

Printing Date : 29/11/18 Revision : 29/11/18

Version number 1

TRADE NAME: POLYCEMENT 1678 (Powder Component)

10: STABILITY AND REACTIVITY

10.1 Reactivity

When mixed with water, the mixture hardens to form a stable mass that does not react with the environment. The dry mixture is chemically stable and compatible with the majority of other construction materials.

10.2 Chemical stability

· Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions

Reacts with acids, aluminium metals and ammonium salts.

Reacts slowly with water forming hardened hydrated compounds, releasing heat and producing a strong alkaline solution.

· 10.4 Conditions to avoid

Humid conditions during storage may cause lump formation and loss of product quality.

- · 10.5 Incompatible materials: Acids, ammonium salts, aluminium or other non-noble metals.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.





according to Regulation 1907/2006/EC, Article 31

Printing Date: 29/11/18 Revision: 29/11/18

Version number 1

TRADE NAME: POLYCEMENT 1678 (Powder Component)

11: TOXICOLOGICAL INFORMATION

- · 11.1 Information on toxicological effects
- · Acute toxicity based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation

Causes skin irritation.

· Serious eye damage/irritation

Causes serious eye damage.

· Respiratory or skin sensitisation

May cause an allergic skin reaction.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity based on available data, the classification criteria are not met.
- · Carcinogenicity based on available data, the classification criteria are not met.
- · Reproductive toxicity based on available data, the classification criteria are not met.
- · STOT-single exposure

May cause respiratory irritation.

- · STOT-repeated exposure based on available data, the classification criteria are not met.
- Aspiration hazard based on available data, the classification criteria are not met.

12: ECOLOGICAL INFORMATION

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.



according to Regulation 1907/2006/EC, Article 31

Printing Date : 29/11/18 Revision : 29/11/18

Version number 1

TRADE NAME: POLYCEMENT 1678 (Powder Component)

13:DISPOSAL CONSIDERATIONS

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14:TRANSPORT INFORMATION

14.1 UN-Number

Portland cement is not covered by the international regulation on the transport of dangerous goods (IMDG, IATA, ADR/RID); no classification is required.

No special precautions are needed apart from

No special precautions are needed apart from those mentioned under Section 8.

14.2 UN proper shipping name

Void

- 14.3 Transport hazard class(es)
 Not applicable
- · 14.4 Packing group

Not applicable

14.5 Environmental hazards:

Not applicable

14.6 Special precautions for user

Not applicable

• 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code
Not applicable.

15 REGULATORY INFORMATION

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture





according to Regulation 1907/2006/EC, Article 31

Printing Date: 29/11/18 Revision: 29/11/18

Version number 1

TRADE NAME: POLYCEMENT 1678 (Powder Component)

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- Hazard pictograms GHS05, GHS0, GHS08
- · Signal word Danger, Warning
- · Hazard-determining components of labelling:

Cement, Portland chemicals, calcium oxide, quartz(SiO2)

- · Hazard statements
- H315: Causes skin irritation.
- H318: Causes serious eye damage.
- H317: May cause an allergic skin reaction.
- H335: May cause respiratory irritation
- H373: May cause damage to the lung through prolonged or repeated exposure

· Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P314 Get medical advice/attention if you fell unwell.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it before reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.





according to Regulation 1907/2006/EC, Article 31

Printing Date: 29/11/18 Revision: 29/11/18

Version number 1

TRADE NAME: POLYCEMENT 1678 (Powder Component)

16: OTHER INFORMATION

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

H373 May cause damage to the lung through prolonged or repeated exposure

· Department issuing SDS: Product safety department.

· Contact:

Company: A.Z. MARKETING L.T.D.

Address: HaBonim 13 st. Kiryat Gat, Israel Telephone: 972-8-9150190; Fax: 972-8-9240091

www.azmarketing.co.il

· Abbreviations and acronyms:

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1B: Skin sensitisation - Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3





according to Regulation 1907/2006/EC, Article 31

Printing Date : 29/11/18 Revision : 29/11/18

Version number 1

TRADE NAME: POLYCEMENT 1678 (Powder Component)



א.צ. טכנולוגיות מתקדמות לבנייה

הבונים 13 קרית גת ט. 9150190–08| ב. 98–9240091 azmarketing.co.il

בטוח שתצליח



SAFETY DATA SHEET

according to Regulation 1907/2006/EC, Article 31

Printing Date : 29/11/18 Revision : 29/11/18

Version number 1

TRADE NAME: POLYCEMENT 1678 (Liquid component)

1: IDENTIFICATION OF THE SUBSTANCE\ PREPARATION AND OF THE COMPANY UNDERTAKING:

-1.1 Product identifier

Trade name: POLYCEMENT 1678 (Liquid component)

- -1.2 Relevant identified uses of the substance or mixture and uses advised against
- · **Sector of Use**: Binder for cement and coating applications
- -Application of the substance / the mixture:

Sealing floors, walls and wet rooms.

1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

Company: A.Z. MARKETING L.T.D.

Address: HaBonim 13 st. Kiryat Gat, Israel 972-8-9150190; Fax: 972-8-9240091

www.azmarketing.co.il

Further information obtainable from: Product safety department.

1.4 Emergency telephone number: 972-8-9150190

2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP).

However, since the product contains hazardous substances in concentrations such as to be declared in section no. 3, it requires a safety data sheet with appropriate information, compliant to (EU) Regulation 2015/830

2.2 Label Elements

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements

Hazards pictograms ---



הבונים 13 קרית גת ט. 9150190–88 | ב. 9240091–08 azmarketing.co.il

בטוח שתצליח



SAFETY DATA SHEET

according to Regulation 1907/2006/EC, Article 31

Printing Date : 29/11/18 Revision : 29/11/18

Version number 1

TRADE NAME: POLYCEMENT 1678 (Liquid component)

Signal words --

Hazard statements:

EUH210 Safety data sheet available on request

EUH208 Contains: 5 – Chloro- 2 –methyl-3(2H)-isothiazolone mixt.with 2-methyl-

3(2H)-isothiazolone (CAS:55965-84-9)

May produce an allergic reaction.

Precautionary statements: --

2.3 Other hazards

- -Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable

3 COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Chemical characterisation: Mixtures

x=Conc. %

Ingredients	CAS №	EINECS №	Concentration, wt. %
5 – Chloro- 2 –methyl-3(2H)- isothiazolone mixt.with 2-methyl- 3(2H)-isothiazolone	55965-84-9	611-341-5	0≤x≤0.06

Acute Tox.3 H301, Acute Tox.3 H311, Acute Tox.3 H331, Skin Corr. 1B H314, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1



א.צ. טכנולוגיות מתקדמות לבנייה

הבונים 13 קרית גת ט. 9150190–08| ב. 98–9240091 azmarketing.co.il

בטוח שתצליח



SAFETY DATA SHEET

according to Regulation 1907/2006/EC, Article 31

Printing Date : 29/11/18 Revision : 29/11/18

Version number 1

TRADE NAME: POLYCEMENT 1678 (Liquid component)

4: FIRST AID MEASURES:

4.1 Description of first aid measures

- **General Information:** Consult a physician. Show this safety data sheet to the doctor in attendance.
- · After inhalation: Supply fresh air; consult doctor in case of complaints
- After skin contact: Rinse and then wash skin with water and soap.
- · After eye contact:

First rinse with plenty of water for several minutes (remove contact lenses if easily possible), then refer for medical attention.

- · After swallowing: Do NOT induce vomiting. Refer for medical attention.
- **4.2 Most important symptoms and effects, both acute and delayed**No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**No further relevant information available.

5: FIRE FIGHTING MEASURES

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · 5.2 Special hazards arising from the substance or mixture

Clinkers are non-combustible and non-explosive and will not facilitate or sustain the combustion of other materials

Specific hazards:

Explosive dust concentrations. Try to avoid dust forming.

Hazardous decomposition products may be formed under fire conditions (see section 10).

- 5.3 Advice for firefighters
- · Protective equipment:

Portland cement is not flammable

Poses no fire-related hazards

Special protective equipment for fire-fighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

.No available information for special protective equipment for fire fighters

6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Personal protection: particulate filter respirator adapted to the airborne concentration of the substance.

See Section 8



א.צ. טכנולוגיות מתקדמות לבנייה הבונים 13 קרית גת ט. 89-9150190 ב 08-9240091 מ azmarketing.co.il

בטוח שתצליח



SAFETY DATA SHEET

according to Regulation 1907/2006/EC, Article 31

Printing Date : 29/11/18 Revision : 29/11/18

Version number 1

TRADE NAME: POLYCEMENT 1678 (Liquid component)

· 6.2 Environmental precautions:

The product must not penetrate into the sewer system or come into contact with surface water or ground water

· 6.3 Methods and material for containment and cleaning up:

Do not sweep. Use dry cleanup methods such as vacuum clean-up overvaccum extraction, which do not cause airborne dispersion.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7.0 HANDLING AND STORAGE

- 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed.

For precautions see section 2.2.

No special precautions are necessary if used correctly.

Follow the recommendations as given under Section 8.

To clean up dry Portland cement see Subsection 6.3.

· Information about fire - and explosion protection: Portland cement is not flammable Advice on safe handling:

For personal protection see section 8. Avoid contact with skin and eyes. Avoid inhalation of dust. Avoid exposure – obtain special instructions before use.

Advice on protection against fire and explosion:

Normal measures for preventive fire protection.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see 10 for details.

The emulsion must be stored between 5-25 °C for a maximum of 12 months and freezing must be avoided.

· 7.3 Specific end use(s) No further relevant information available.

8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Additional information about design of technical facilities:

Use: Industrial manufacture/formulation of hydraulic building and construction materials .No further data; see item 7.

· 8.1 Control parameters



א.צ. טכנולוגיות מתקדמות לבנייה הבונים 13 קרית גת ט. 1910-919-09 ם. 08-9240091

azmarketing.co.il

בטוח שתצליח



SAFETY DATA SHEET

according to Regulation 1907/2006/EC, Article 31

Printing Date : 29/11/18 Revision : 29/11/18

Version number 1

TRADE NAME: POLYCEMENT 1678 (Liquid component)

Information not available

8.2 Exposure controls

Avoid contact with skin, eyes and clothing. Wash hands before beaks and immediately after handling the product

- · Personal protective equipment:
- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Respiratory protection:

When a person is potentially exposed to dust levels above exposure limits, use appropriate respiratory protection. The type of respiratory protection should be adapted to the dust level

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Wear safety goggles.
- · Body protection: Protective clothing

9: PHYSICAL AND CHEMICAL PROPERTIES

· 9.1 Information on basic physical and chemical properties General Information Appearance

Form: Liquid Colour: White

Odour:characteristicOdour threshold:Not determined



א.צ. טכנולוגיות מתקדמות לבנייה

הבונים 13 קרית גת ט. 9150190–88 | ב. 98–9240091 azmarketing.co.il

בטוח שתצליח



SAFETY DATA SHEET

according to Regulation 1907/2006/EC, Article 31

Printing Date : 29/11/18 Revision : 29/11/18

Version number 1

TRADE NAME: POLYCEMENT 1678 (Liquid component)

pH-value: 7.0 – 9.0

Change in condition

Melting point/freezing point:Undetermined.Initial boiling point and boiling range:>100 $^{\circ}$ C

Flash point: Not determined
 Flammability (solid, gas): Not determined.
 Decomposition temperature: Not determined.

· Auto-ignition temperature: Product is not selfigniting.

· Explosive properties: Product does not present an explosion hazard.

· Explosion limits:

Lower:Not determined.Upper:Not determined.· Vapour pressure:Not applicable.

Relative density: 1.0-1.1

Relative densityVapour densityNot determined.Not applicable.

• Evaporation rate slower (ethtl ether=1).

• Solubility in / Miscibility with water: soluble in water • Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Dynamic:Not applicable.Kinematic:Not applicable.

• 9.2 Other information No further relevant information available.

10: STABILITY AND REACTIVITY

10.1 Reactivity

There are no particular risks of reactions with other substances in normal conditions of use.

· 10.2 Chemical stability

The product is stable in normal conditions of use and storage.

· 10.3 Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

· 10.4 Conditions to avoid

None in particular. However for usual precautions used for chemical products should be protected.

· 10.5 Incompatible materials:

Information not available



א.צ. טכנולוגיות מתקדמות לבנייה הבונים 13 קרית גת 08-9240091 .□ | 08-9150190 .U

> azmarketing.co.il בטוח שתצליח



SAFETY DATA SHEET

according to Regulation 1907/2006/EC, Article 31

Printing Date: 29/11/18 Revision: 29/11/18

Version number 1

TRADE NAME: POLYCEMENT 1678 (Liquid component)

· 10.6 Hazardous decomposition products: Information not available

11: TOXICOLOGICAL INFORMATION

· 11.1 Information on toxicological effects

STYRENE ACRYLIC COPOLYMER

LD50 (Dermal/oral,rat > 5000 mg/kg.

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

· Primary irritant effect:

Information not available

Acute toxicity

LC50 (Inhalation) of the mixture: Not classified LD50 (Oral) of the mixture: Not classified LD50 (Dermal) of the mixture: Not classified

· Skin corrosion/irritation

Does not meet the classification criteria for this hazard class

· Serious eye damage/irritation

Does not meet the classification criteria for this hazard class

· Respiratory or skin sensitisation

May cause an allergic skin reaction.

Contains: 5 – Chloro- 2 – methyl-3(2H)-isothiazolone mixt.with 2-methyl-3(2H)-isothiazolone (CAS:55965-84-9)

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) Does not meet the classification criteria for this hazard class
- · Germ cell mutagenicity based on available data, the classification criteria are not met.
- · Carcinogenicity based on available data, the classification criteria are not met.
- · Reproductive toxicity based on available data, the classification criteria are not met.
- · STOT-single exposure

Does not meet the classification criteria for this hazard class

- · STOT-repeated exposure based on available data, the classification criteria are not met.
- · Aspiration hazard based on available data, the classification criteria are not met.



א.צ. טכנולוגיות מתקדמות לבנייה הבונים 13 קרית גת

0. 9150190 - 0. 08-9240091 ت. 08-9240091 azmarketing.co.il

בטוח שתצליח



SAFETY DATA SHEET

according to Regulation 1907/2006/EC, Article 31

Printing Date : 29/11/18 Revision : 29/11/18

Version number 1

TRADE NAME: POLYCEMENT 1678 (Liquid component)

12: ECOLOGICAL INFORMATION

· 12.1 Toxicity

5 – Chloro- 2 –methyl-3(2H)-isothiazolone mixt.with 2-methyl-3(2H)-isothiazolone (CAS: 55965-84-9)

 LC50 – for Fish
 14.8 mg/l/96h OECD 203

 EC50 – for Crustacea
 8 mg/l/48h OECD 202

 EC50 – for Algae / Aquatic Plants
 3.2 mg/l/72h OECD 201

STYRENE ACRYLIC COPOLYMER

EC50 – for Crustacea 100mg/l/48h Daphnia magna

- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability :

STYRENE ACRYLIC COPOLYMER

This type of product is only slowly biodegrated (removal>80% by method OECD 302B)

5 – Chloro- 2 –methyl-3(2H)-isothiazolone mixt.with 2-methyl-3(2H)-isothiazolone (CAS: 55965-84-9)

Rapidly degragade

- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· 12.5 Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage than 0.1%

· 12.6 Other adverse effects No further relevant information available.



הבונים 13 קרית גת ט. 9150190–08| ב. 98–9240091 azmarketing.co.il

בטוח שתצליח



SAFETY DATA SHEET

according to Regulation 1907/2006/EC, Article 31

Printing Date : 29/11/18 Revision : 29/11/18

Version number 1

TRADE NAME: POLYCEMENT 1678 (Liquid component)

13:DISPOSAL CONSIDERATIONS

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14:TRANSPORT INFORMATION

14.1 UN-Number

Not applicable

14.2 UN proper shipping name

Not applicable

· 14.3 Transport hazard class(es)

Not applicable

14.4 Packing group

Not applicable

14.5 Environmental hazards:

Not applicable

14.6 Special precautions for user

Not applicable

· 14.7 Transport in bulk according to Annex II of

Marpol and the IBC Code

Not applicable.

15 REGULATORY INFORMATION

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

- · Hazard pictograms
- · Signal word
- · Hazard-determining components of labelling:
- · Hazard statements
- · Precautionary statements
- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed



א.צ. טכנולוגיות מתקדמות לבנייה הבונים 13 קרית גת ט. 9240090 | פ. 98-9150190 | מ. azmarketing.co.il בטוח שתצליח



SAFETY DATA SHEET

according to Regulation 1907/2006/EC, Article 31

Printing Date : 29/11/18 Revision : 29/11/18

Version number 1

TRADE NAME: POLYCEMENT 1678 (Liquid component)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16: OTHER INFORMATION

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox.3 Acute toxicity, category 3.
Skin Corr. 1B Skin corrosion, category 1B.
Skin Sens. 1 Skin sensitization, category 1.

Aquatic Acute 1 Hazardous to the aquatic environment, acute toxicity,

category 1.

Aquatic Chronic 1 Hazardous to the aquatic environment, chronic toxicity,

category 1.

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H331 Toxic if inhaled.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH210 Safety data sheet available on request.

· Department issuing SDS: Product safety department.

· Contact:

Company: A.Z. MARKETING L.T.D.

Address: HaBonim 13 st. Kiryat Gat, Israel Telephone: 972-8-9150190; Fax: 972-8-9240091

www.azmarketing.co.il

· Abbreviations and acronyms:

GHS: Globally Harmonised System of Classification and Labelling of Chemicals



א.צ. טכנולוגיות מתקדמות לבנייה

הבונים 13 קרית גת ט. 9150190–08| ב. 9240091–08 azmarketing.co.il

בטוח שתצליח



SAFETY DATA SHEET

according to Regulation 1907/2006/EC, Article 31

Printing Date : 29/11/18 Revision : 29/11/18

Version number 1

TRADE NAME: POLYCEMENT 1678 (Liquid component)

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation – Category 1B

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3